

Table of Contents

Introductory papers

	<i>Pages</i>
1. Molecular plant-microbe interactions: new bridges between past and future (editorial remarks). Tikhonovich I.A., Lugtenberg B.J.J. and Provorov N.A.	17
2. Plant-microbe interactions: fundamental and applied research in Russia (Organizing Committee Chairman's presentation). Romanenko G.A.	19

Signaling and recognition in plant-pathogen systems

3. Molecular basis of bacterial innate immunity in <i>Arabidopsis thaliana</i> . Staskawicz B.J., Axtell M., Chisholm S., Dalhbeck D., Day B. and Coppinger P.	24
4. Pepper Bs3 and tomato Bs4 - distinct molecular principles for perception of highly related <i>Xanthomonas</i> AvrBs3 and AvrBs4 proteins. Lahaye T., Ballvora A., Gurlebeck D., Jordan T., Meyer A., Peter K., Schornack S. and Bonas U.	28
5. Different signals induce "pathogenic" and "saprophytic" fungal spore germination. Sharon A. and Barhoom S.	31
6. Genomic organization of resistance factors against scab (<i>Venturia inaequalis</i>), powdery mildew (<i>Podosphaera leucotricha</i>) and fire blight (<i>Erwinia amylovora</i>) in apple. Calenge F., Faure A., Drouet D., Parisi L., Brisset M.-N., Paulin J.-P., van der Linden C.G., van de Weg W.E., Schouten H., Lespinasse Y. and Durel C.-E.	35
7. Herbivore-induced resistance: differential effectiveness against a set of microbial pathogens in <i>Arabidopsis thaliana</i> . De Vos M., Van Oosten V.R., Van Pelt J.A., Van Loon L.C., Dicke M. and Pieterse C.M.J.	40

Cellular mechanisms of plant-microbe interactions

8. Beneficial symbionts: host control (symposium remarks). Rolfe B.G.	44
9. Proteome analysis of root responses to rhizobia signalling molecules. Mathesius U., Mulders S., de Jong F., Keijzers G., Bauer W.D. and Rolfe B.G.	47
10. Analysis of protein expression profiles in <i>Sinorhizobium meliloti</i> in planta and under nutritional stress using large-scale proteomics. Djordjevic M.A., Weiller G.F., Natera S., Chen H.-C., Taylor S., Van Noorden G., Weinman J.J. and Rolfe B.G.	51

11. Three strains of tobacco mosaic virus Kazakh isolate: correlation between biological properties and coat protein structure. Koshkina T.E., Belenovich E.V., Novikov V.K. and Zavriev S.K.	55
12. Induction of apoptotic cell response in oats against various stressors. Kusaka K., Tada Y., Yao N., Sakamoto M., Nakayashiki H., Tosa Y., Park P. and Mayama S.	59
13. Azorhizobial functions required for invasion during nodule initiation on <i>Sesbania rostrata</i> . D'Haese W., Gluska J., De Rycke R., Holsters M. and Carlson R.W.	62
14. Involvement of apoptotic cell death in development of bacterial rot disease caused by <i>Pseudomonas cichorii</i> . Kiba A., Sangawa Y., Hojo H., Kyon-Ye Lee, Ohnishi K. and Hikichi Y.	67
<i>Plant-virus interactions</i>	
15. Viruses, microRNAs and development in plants. Carrington J.C., Kasschau K.D., Zhixin Xie, Johansen L.K., Lellis A., Allen E., Chapman E., Montgomery T. and Gustafson A.	70
16. Involvement of the nucleolus in umbravirus systemic infection. Taliensky M., Kim S.H., Ryabov E.V., Robinson D.J. and Brown J.W.	73
17. Translational activation of potato virus X RNA by binding of movement protein to one end of the virion. Rodionova N., Karpova O., Kozlovsky S., Zayakina O., Arkhipenko M., Kiselyova O., Yaminsky I. and Atabekov J.	77
18. The key role of the eukaryotic initiation factor 4E (eIF4E) in plant-potyvirus interactions. Ruffel S., Dussault M.H., Duprat A., Palloix A., Moury B., Revers F., Bendahmane A., Robaglia C. and Caranta C.	81
19. RNA silencing suppressors encoded by hordeiviruses. Yelina N.E., Savenkov E.I., Solovyev A.G., Schiemann J., Valkonen J.P. and Morozov S.Yu.	84
20. The cap-binding protein, eIF4E, controls susceptibility to <i>Lettuce mosaic potyvirus</i> in <i>Arabidopsis thaliana</i> and lettuce. Nicaise V., German-Retana S., Sanjuan R., Revers F., Guiraud T., Peypelut M., Dubrana M.P., Mazier M., Maisonneuve B., Candresse T., Robaglia C., Caranta C. and Le Gall O.	89
<i>Bacterial virulence</i>	
21. Bacterial virulence factors and pathogenesis. Bender C.L.	94

22. Mechanisms of bacterial virulence (symposium remarks). Bender C.L.	100
23. Molecular biology and control of exopolysaccharide synthesis by <i>Erwinia amylovora</i> and related plant pathogens. Geider K., Du Z., Hildebrand M., Jock S., Kim W.-S. and Schollmeyer M.	101
24. <i>Pseudomonas syringae</i> : functional genomics and plant pathogenicity. Collmer A., Alfano J.R., Buell C.R., Cartinhour S., Chatterjee A.K., Delaney T.P., Lazarowitz S.G., Martin G.B., Schneider D.J. and Xiaoyan Tang.	105
25. Comparative genomics of <i>Xanthomonas</i> strains. Ferro J.A., de Oliveira J.C.F., Furlan L.R. and da Silva A.C.R.	109
26. The plant pathogenic phenotype in <i>Streptomyces</i> species: a new paradigm? Loria R., Kers J.A., Cameron K.D., Wach M.J., Joshi M., Yoshida M., Bukhalid and Gibson D.M.	113
<i>Type III secretion in pathogenic bacteria</i>	
27. Bacterial type III secretion in pathogenesis. He S.Y., Bandyopadhyay S., Bray E., Hauck P., Jin Q.-L., Kolade O., Nomura K., Thilmony R., Underwood W. and Zwiesler-Vollick J.	116
28. Bacterial type III effectors and their secretion (symposium remarks). He S.Y.	121
29. Type III effector proteins from <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> . Buttner D., Thieme F., Noel L., Weber E. and Bonas U.	123
30. Plant targets for <i>Xanthomonas campestris</i> type III cysteine protease effectors. Hotson A., Chosed R., Orth K. and Mudgett M.B.	127
31. Evolutionary and functional genomics of host specificity in <i>Pseudomo- nas syringae</i> . Guttman D.S. and Sarkar S.F.	132
32. <i>Pseudomonas syringae</i> type III secretion: chaperones, translocators, and effectors that suppress programmed cell death. Alfano J.R., Chancey S.T., Espinosa A., Fu Z.Q., Guo M., Hanks M., Jamir Y., Janes M.D. and Petnicki-Ocwieja T.	138
33. What type III effector proteins is <i>Xanthomonas</i> injecting into a plant cell during pathogenesis? Roden J. and Mudgett M.B.	142

Virulence in plant-fungal pathosystems

34. Molecular signaling in the interactions between toxigenic pathogenic fungi and plants.
Walton J. 146
35. Plant-fungal pathogenesis, mechanisms of virulence (symposium remarks).
Walton J. 152
36. Tailor-made toxin target controlling the specificity of ACR-toxin.
Ohtani K., Masunaka A., Yamasaki Y., Yamamoto H. and Akimitsu K. 154
37. Characterisation of avirulence in the apple scab fungus.
Plummer K.M., Win J. and Greenwood D.R. 157
38. Functional characterisation of appressorial specific proteins from *Phytophthora infestans*.
Grenville L.J., Taylor C.R., Williams A., Avrova A., Birch P. and van West P. 162
39. Plant resistance to *Phytophthora* based on the sterol composition.
Khodjaiova L., Andreeva E., Zhan Xi Chun and Lutova L. 166
40. Genetic analysis of disease susceptibility in the *Arabidopsis thaliana*-*Peronospora parasitica* interaction.
Van Damme M., Andel A., Huibers R., Weisbeek P. and Van den Ackerveken G. 170
41. Evolution of secondary metabolism in plant pathogenic fungi (Round Table summary).
Walton J. 174
42. Rust haustoria as sink in plant tissues or – how to survive in leaves.
Struck C., Voegelé R.T., Hahn M. and Mendgen K. 177

Local/systemic resistance

43. The roles of *Pseudomonas* type III effectors AvrPto and AvrPtoB as modulators of plant disease susceptibility and immunity.
Abramovitch R.B., Anderson J.C., Nai-Chun Lin and Martin G.B. 180
44. Molecular mechanism of systemic acquired resistance.
Xinnian Dong, Zhonglin Mou, Dong Wang and Weihua Fan. 184
45. Jasmonate and ethylene signals in plant defence.
Lorenzo O., Adie B., Sanchez-Serrano J.J. and Solano R. 188
46. Signaling during rhizobacteria-induced systemic resistance in *Arabidopsis*.
Pieterse C.M.J., Bakker P.A.H.M., Verhagen B.W.M. and van Loon L.C. 192

47. Identification of disease resistance in <i>Arabidopsis</i> independent of systemic acquired resistance. Delaney T.P., Argueso C., Kim H.S. and Ko J.-H.	196
48. Signal signature of <i>Arabidopsis</i> induced upon pathogen and insect attack. Van Oosten V.R., De Vos M., Van Pelt J.A., Van Loon L.C., Van Poecke R.M.P., Dicke M. and Pieterse C.M.J.	199
<i>Mechanisms of plant defence</i>	
49. Molecular basis of plant response to microbial invasion. de Wit P.J., Brandwagt B.F., van den Burg H.A., Gabriels S.H., van der Hoorn R.A., de Jong C.F., van 't Klooster J.W., de Kock M.J., Kruijt M., Luderer R., Munnik T., Stulemeijer I.J., Thomma B.P., Vervoort J.J., Westerink N. and Joosten M.H.	203
50. Differential gene expression between avirulent and virulent <i>Meloidogyne incognita</i> isogenic lines. Neveu C., Abad P. and Castagnone-Sereno P.	208
51. Identification of genes involved in the resistance response of tomato against the leaf mold pathogen <i>Cladosporium fulvum</i> . Gabriels S.H., Takken F.L., de Jong C.F., Hooiveld R., Wachowski L.K., Witsenboer H., de Wit P.J. and Joosten M.H.	212
52. Signal transduction involved in elicitation of phytoalexin synthesis in onion (<i>Allium cepa</i>) cells. Dmitriev A.P., Kravchuk Z.N. and Grodzinsky D.M.	216
53. Comparative and functional genomics of plant pathogenic fungi. Turgeon B.G. and members of the former Torrey Mesa Research Institute Fungal Group	220
54. Genetic and molecular mechanisms of barley resistance to <i>Pyrenophora teres</i> Drechs. Afanasenko O., Manninen O. and Terentieva I.	224
55. Anion channels are upstream components of a signalling cascade leading to defence responses. Wendehenne D., Lamotte O. and Pugin A.	228
56. Insights into plant defense strategies by studying PGIPs, polygalacturonases and oligogalacturonides. De Lorenzo G., D'Ovidio R., Ferrari S., Raiola A., Di Matteo A. and Mattei B.	233

Evolution of plant defence

57. mRNA expression profiling of the <i>Arabidopsis</i> flg22-triggered innate immune response and the Avr9/Cf-9 response in tobacco. Navarro L., Zipfel C., Rowland O., Robatzek S., Boller T. and Jones J.D.G.	237
---	-----

58. Enhanced durability and utility of genes for resistance by deployment in cultivar mixtures. Newton A.C., Swanston J.S. and Guy D.C.	240
59. Moss as a model system for studies on plant-pathogen interactions. Akita M., Andersson R.A., Pirhonen M., Gammelgard E. and Valkonen J.P.T.	244
60. Control of polygalacturonase activity by PGIP restricts fungal invasion. Manfredini C., Sicilia F., Pontiggia D., Caprari C., Salvi G., Scala F., Lorito M., Bellincampi D., Cervone F. and De Lorenzo G.	248
61. Functional aspects of <i>R</i> genes assessed by expression profiling/flagellin recognition and <i>FLS2</i> . Bent A., Wan J., Tan X., Michelmore R., Pfund C., Tans-Kersten J., Allen C. and Dunning F.M.	251
62. Origin and maintenance of the <i>RPW8</i> disease resistance locus in <i>Arabidopsis</i> Xiao S., Emerson B., Ratanasut K., Patrick E., Bent E., O'Neill C., Bancroft I. and Turner J.G.	254
63. Functions and evolution of an <i>Arabidopsis</i> insect resistance QTLs. Kroymann J. and Mitchell-Olds T.	259
<i>Co-evolution and breeding in fungal pathosystems</i>	
64. Approaches to achieve durable resistance. Leach J.E., Liu B., Wu J., Se Weon Lee, Hulbert S., Casiana Vera Cruz and Hei Leung.	263
65. Importance of studies of co-evolutionary processes in plants and their pathogens (symposium remarks). Afanasenko O.	270
66. Characterization of genetic structure of the fungus population, <i>Magnaporthe grisea</i> , in Guangdong province, China. Wang Ling, Hu Tiezhu, Wu Weihuai, Yang Xueyan and Pan Qinghua	272
67. Founder effect in population of <i>Venturia inaequalis</i> caused by the breakdown of the resistance gene <i>Vf</i> in apple. Guerin F., Devaux M. and Le Cam B.	276
68. Molecular variation and sensitivity to fungicides in <i>Fusarium graminearum</i> . Gagkaeva T.Yu. and Yli-Mattila T.	281

Molecular plant-nematode interactions

69. Plant-nematode interactions.
Williamson V.M., Gleason C.A., Hwang C.F., Lower S., Branch C. and Liu Q. 284
70. Secrets in secretions: analysis of the parasitome of *Heterodera glycines*.
Baum T.J., Gao B., Maier T.R., Hussey R.S. and Davis E.L. 289
71. An enhanced expression of HsI^{pro-1} in feeding sites is required for initiation of resistance to the beet cyst nematode (*Heterodera schachtii* Schmidt).
Cai D., Thureau T., Weng L.H., Wegelin T., Tian Y., Grundler F.M.W. and Jung C. 293
72. Plant cell wall modifications in potato cyst nematode parasitism.
Goverse A., Kudla U., Swiecicka M., Karczmarek A., Overmars H., Qin L., Filipiecki M., Bakker J., Helder J. and Smant G. 297
73. Plant genes involved in giant cell formation induced by root-knot nematodes in *Arabidopsis* and *Medicago*
Favery B., Jammes F., Chelysheva L., Lecomte P., Complainville A., Mergaert P., Crespi M. and Abad P. 301

Biocontrol of pathogens

74. Microbial control of tomato foot and root rot.
Lugtenberg B.J.J., Bloemberg G.V., Bolwerk A., van den Broek D., Cazorla-Lopez F., Chin-A-Woeng T.F.C., Eijkemans K., Kamilova F.D., Kuiper I., Mulders I.H.M., van Rij E.T. and de Weert S. 305
75. Molecular aspects of biocontrol traits (symposium remarks).
Lugtenberg B.J.J. 310
76. Chitinase system and its involvement in the antifungal activity of *Bacillus cereus* 28-9.
Huang C.J., Wang T.K., Chung S.C. and Chen C.Y. 312
77. Biocontrol of *Fusarium oxysporum* and *Verticillium dahliae* on tomato and cucumber by *Serratia marcescens*.
Popova E.V. and Khatskevich L.K. 315
78. The rhizosphere microbial community of cotton grown in semi-arid region.
Egamberdiyeva D. and Davranov K. 319
79. Interactions between *Pseudomonas* biocontrol strains and *Fusarium oxysporum* f.sp. *radicis-lycopersici* in the tomato rhizosphere.
Bolwerk A., Lagopodi A.L., Wijfjes A.H.M., Lamers G.E.M., Lugtenberg B.J.J. and Bloemberg G.V. 323

80. The chemical composition and functions of *Azospirillum* extracellular polysaccharidic complexes.
Konnova S.A. and Ignatov V.V. 327

Signaling in beneficial plant-microbe interactions

81. *Arabidopsis thaliana*: usefull for functional analysis of *ENOD40*?
Ruttink T., Lorvellec M., Bisseling T. and Franssen H. 332

82. Symbiosis and defense: two sides of one coin
van der Holst P.P.G., Gronlund M., Stougaard J. and Spaink H.P. 338

83. Nod factor hydrolysis by non-nodulating pea mutants blocked at different symbiotic stages.
Ovtsyna A., Dolgikh E., Kilanova A., Tsyganov V., Borisov A., Tikhonovich I. and Staehelin C. 343

84. Diffusible factors from arbuscular mycorrhizal fungi elicit early nodulin gene expression in *Medicago truncatula*.
Kosuta S., Chabaud M., Loughon G., Gough C., Denarie J., Barker D.G. and Becard G. 347

85. Lectin apyrases and lectin receptor kinases: proteins potentially playing a role in the legume-rhizobia symbiosis.
Navarro-Gochicoa M.-T., Hogg B., Bono J.-J., Imberty A. and Cullimore J.V. 351

86. Cell-to-cell communication and *enod40* action in nodule organogenesis.
Complainville A., Campalans A., Frugier F., Brocard L., Roberts I., Dax E., Wolf S., Oparka K., Kondorosi A. and Crespi M. 355

Developmental impacts of plant-microbe symbioses

87. Plant-microbe interactions - a tool for studying plant development.
Kondorosi A., Vinardell J.-M., Nikovics K., Maunoury N., Tarayre S., D'Erfurth I., Kelemen Z., Vaubert D., Kevei Z., Fedorova E., Mergaert P., Ratet P. and Kondorosi E. 359

88. Plant cell cycle rearrangements under the microbe influence. An overview on plant cell cycle regulation, specific aspects of plant development and plant-microbe interactions (symposium remarks).
Kondorosi E. 364

89. Control of cell cycle during nodule development.
Kondorosi E., Tarayre S., Nikovics K., Vinardell J.M., Foucher F., Roudier F., Kelemen Z., Mergaert P. and Kondorosi A. 366

90. Systemic regulation of nodulation by a leaf-controlled LRR-receptor kinase.
Gresshoff P.M., Buzas D.M., Laniya T., Men A., Jiang O., Schenk P.M., Hayward A., Kam J., Li D., Miyahara A., Nontachaiyapoom S., Indrasumunar A., Brcich T., Gualtieri G., Davis P. and Carroll B. 369

91. Reactive oxygen species and ethylene mediate nodule initiation at lateral root bases of <i>Sesbania rostrata</i> . Holsters M., D'Haese W., De Rycke R., Mathis R., Pagnotta S., Capoen W., Den Herder J. and Goormachtig S.	373
92. A unique pea (<i>Pisum sativum</i> L.) mutant impaired in nodule, leaf and flower development. Voroshilova V.A., Tsyganov V.E., Rozov S.M., Priefer U.B., Borisov A.Y. and Tikhonovich I.A.	376
93. Manipulation of plant root cells by sedentary nematodes: molecular insights. Gheysen G., Grunewald W., Karimi M., Plovie E., Tytgat T., Vanholme B. and de Almeida Engler J.	380
<i>Hormonal regulation of plant-microbe interactions</i>	
94. Changes elicited by <i>Rhizobium</i> inoculation in expression of genes influenced by phytohormone levels. Hirsch A.M., Lum M.R., Giordano W.F., Fujishige N.A. and Woo H.-H.	383
95. Hormonal regulation in plant-microbe symbioses (symposium remarks). Hirsch A.M.	389
96. Salicylic acid signaling in plant defense: the lipid connection. Shah J., Nandi A., Buseman C.M., Li M., Krothapalli K., Pegadaraju V., Buffington R., Morton J., Omoluabi O., Baughman E. and Welti R.	391
97. Phytohormones in cyanobacteria: occurrence and perspectives. Liaimer A. and Bergman B.	394
98. Role of fungal auxin in the ectomycorrhizal symbiosis. Gay G., Reddy M.S., Pandey A.K., Melayah D., Raffier C., Charvet-Candela V., Hitchin S., Debaud J.C. and Marmeisse R.	398
99. Mutants of <i>Agrobacterium radiobacter</i> 5DI impaired in inole-3-acetic acid biosynthesis, nitrogen metabolism, and association with non-legume plants. Muronets E.M., Kameneva S.V., Ruslyakova M.V. and Elanskaya I.V.	402
<i>Biochemistry of beneficial plant-microbe interactions</i>	
100. Genetics and genomics of nutrient deprivation-induced, microaerobic and symbiotic gene expression in <i>Sinorhizobium meliloti</i> . de Bruijn F.J., Davey M.E., Berges H., Krol E., Bruand C., Ruberg S., Capela D., Lauber E., Meilhoc E., Ampe F., Fourment J., Francez-Charlot A., Kahn D., Kuster H., Liebe C., Puhler A., Weidner S., Batut J. and Becker A.	405

101. Regulation of rhizobial life in symbiosis Hennecke H.	411
102. Foraging for meaning - postgenome approaches to <i>Sinorhizobium meliloti</i> . Kahn M.L., Schroeder B.K., House B.L., Mortimer M.W., Yurgel S.N., Maloney S.C., Warren K.L., Fisher R.F., Barnett M.J., Toman C. and Long S.R.	416
103. Role of bacterial phosphatidylcholine in symbiotic and pathogenic interactions. Geiger O., Martinez-Morales F., Sohlenkamp C. and Lopez-Lara I.M.	423
104. Phosphate assimilation in <i>Sinorhizobium meliloti</i> . Zechun Y., Zaheer R. and Finan T.M.	427
<i>Diversity of plant-microbe interactions</i>	
105. <i>Azoarcus</i> sp. strain BH72 as a model for nitrogen-fixing grass endophytes. Reinhold-Hurek B., Miche L., Plessl J. and Hurek T.	431
106. Differential colonization of rice varieties by the endophytic nitrogen-fixing bacterium <i>Azoarcus</i> sp. BH72: is plant defence involved? Miche L., Wiese S. and Reinhold-Hurek B.	436
107. Phase variable effects of <i>Pseudomonas brassicacearum</i> on <i>Arabidopsis thaliana</i> root architecture. Achouak W., Conrod S., Robert S. and Heulin T.	440
108. Arbuscular mycorrhizal fungi harbor endocellular bacteria. Genre A., Bianciotto V., Jargeat P., Lumini E., Uetake Y., Becard G., and Bonfante P.	445
109. Tissue specificity of endophyte development in <i>Epichloe/Neotyphodium</i> symbioses with grasses. Hesse U., Christensen M.J. and Scharld C.L.	448
<i>Mycorrhizae</i>	
110. Molecular dialogue in arbuscular mycorrhiza: exploring the symbiotic cell programme. Gianinazzi-Pearson V., Brechenmacher L., Weidmann S., Sanchez L., Kuster H., Gianinazzi S., and van Tuinen D.	453
111. ESTs from the extra-radical mycelium of <i>Glomus intraradices</i> . Maldonado-Mendoza I.E., Dewbre G., Bell C. and Harrison M.J.	460
112. A mycorrhiza-inducible plant chitinase accelerates the life cycle of arbuscular mycorrhizal fungi. Salzer P., Elfstrand M., Wiemken A. and Boller T.	464

113. Comparative functional genomics of arbuscular mycorrhizal tomato and *Medicago* roots using microarray and *in silico* approaches.
Kapulnik Y., Kahana A., Davydov O., Fluhr R., Bendov R., Gadkar V., Koltai H. and Volpin H. 468

114. The maize *nopel* gene involved in pre-symbiotic recognition of roots by arbuscular mycorrhizal fungi.
Paszowski U., Shi L., Luginbuhl P., Boller T. and Briggs S.P. 472

Plant symbiotic genes

115. Novel symbiotic organelles in the *Rhizobium*-legume symbiosis.
Brewin N. 476

116. Integration of plant and microbial genetic systems in symbiosis
Tikhonovich I.A., Borisov A.Y., Tsyganov V.E., Ovtsyna A.O. and Provorov N.A. 483

117. Genetic reorganisation of legume transport and metabolism during symbiotic nitrogen fixation.
Udvardi M., Bock V., Colebatch G., Desbrosses G., Kloska S., Kopka J., Krause K., Krusell L., Ott T., Trevaskis B. and Wandrey M. 490

118. *Ds* gene tagging in *Lotus japonicus*.
Tirichine L., Herrera-Cervera J.A. and Stougaard J. 493

119. NORX, a single transmembrane receptor kinase plays a central role in the signal transduction pathway of nodulation.
Endre G., Kereszt A., Kevei Z., Kalo P., Mihacea S., Perhald A. and Kiss G.B. 497

120. Pea (*Pisum sativum* L.) regulatory genes controlling development of nitrogen-fixing nodule and arbuscular mycorrhiza.
Borisov A.Y., Voroshilova V.A., Zhukov V.A., Zhernakov A.I., Danilova T.N., Shtark O.Y., Naumkina T.S., Tsyganov V.E., Madsen L.H., Sanjuan J., Olivares J., Priefer U.B., Ellis N., Stougaard J. and Tikhonovich I.A. 502

121. A new pea (*Pisum sativum* L.) cadmium tolerant mutant is a unique tool for studying molecular plant-microbe interactions under cadmium stress.
Tsyganov V.E., Belimov A.A., Safronova V.I., Naumkina T.S., Borisov A.Y., Dietz K.-J. and Tikhonovich I.A. 506

Microbial tools for plant engineering

122. *Agrobacterium*-plant interactions: unfinished business and continuing surprises.
Nester E., Wood D., Pantoja M. and Liu P. 510

123. Welcome to the symposium on *Agrobacterium*.
Nester E. 516

124. Mutational analysis of the channel forming protein, VirE2 of <i>Agrobacterium tumefaciens</i> . Jacob S.S., Axthelm F., Hohn B. and Duckely M.	518
125. <i>Agrobacterium</i> extracellular structures involving in transfer of genetic information. Volokhina I.V., Burmatov A.V. and Chumakov M.I.	521
126. Search for sequences homologous to <i>Agrobacterium</i> T-DNA in different plant genomes. Matveeva T.V., Lutova L.A., Wood D. and Nester E.W.	526
127. Consequences of insect protection of maize on <i>Fusarium</i> susceptibility. Hammond B., Segueira J., Pinson L., Tatli F., Grogna R. and Tinland B.	530
128. Analysis of physiological processes in plants by means of expression of introduced bacterial genes. Piruzian E.S., Goldenkova I.V., Musiyshuk K.A., Abdeev R.M. and Sazonova I.A.	533
<i>Plant-microbe molecular entity in soil</i>	
129. Common mechanisms in beneficial and deleterious host-microbe interactions. Haas D., Reimann C. and Valverde C.	537
130. Symbiotic type III protein secretion systems. Deakin W.J., Bartsev A.V., Boukli N.M., Inaba Y., Kobayashi H., Marie C., Perret X., Saad M., Skorpil P., Staehelin C., Viprey V. and Broughton W.J.	542
131. <i>In vivo</i> markers to study cytoskeleton dynamics during plant-microorganism interactions. Timmers A.C.J., Voigt B., Heym C. and Menzel D.	545
132. Isolation and characterization of a gene involved in control of nodulation competitiveness of <i>Sinorhizobium meliloti</i> strain CXM1-105. Chizhevskaya E.P., Onishchuk O.P., Sharypova L.A. and Simarov B.V.	549
133. <i>N</i> -acyl homoserine lactones of rhizosphere bacteria trigger systemic resistance in tomato plants. Hartmann A., Gantner S., Schuegger R., Steidle A., Durr C., Schmid M., Dazzo F., Eberl L. and Langebartels C.	554
134. The role of bacterial ACC deaminase in promoting the plant growth. Glick B.R.	557
135. Role of site-specific recombinases and motility in alfalfa rhizosphere colonization by <i>Pseudomonas fluorescens</i> F113. Martinez-Granero F.M., Capdevila S., Sanchez-Contreras M., Larenas J., Rivilla R. and Martin M.	561

136. Character of massetolide-A production by biocontrol strain *Pseudomonas* sp. MF-30.
Konnova E.V., Hedman R., Welch C. J. and Gerhardson B. 565

Microbes in sustainable agriculture

137. Improving the legume-rhizobia symbiosis: can genomics and molecular genetics help?
Fedorova M., Denton M., Schulze J., Liu J., Graham M., Allan D., Samac D., and Vance C. 569

138. Field release experiments using *Sinorhizobium meliloti* strains tagged with a luciferase gene.
Puhler A., Dresing U., Keller M., Schneiker S. and Selbitschka W. 575

139. Moving out: role of recombination in horizontal gene transfer in *Rhizobium*.
Romero D., Brom S., Garcia-de los Santos A., Girard L., Martinez-Salazar J., Rodriguez C., Santoyo G., Tun C. and Valencia-Morales E. 579

140. Conjugative transfer symbiotic DNA in rhizobia.
Perez-Mendoza D., Dominguez A., Sepulveda E., Pando V., Munoz S., Nogales J., Herrera-Cervera J.A., Soto M.J., Olivares J., Girard L., Romero D., Brom S. and Sanjuan J. 582

141. Molecular ecology strategies to investigate the behaviour of GM and non-modified biocontrol inoculants in the rhizosphere.
Mark G.L., Morrissey J., Baysse C., Sweeney P. and O'Gara F. 585

142. Infection and Release Model is used to analyze the fate of modified rhizobia in the field.
Provorov N.A. and Vorobyov N.I. 589

143. Rhizobial inoculant technology in North America.
Smith R.S. 594

144. Production and application efficiency of the biopreparations based on rhizobacteria (PGPR).
Chebotar V.K. and Kang U.G. 597

Appendix

145. MPMI in University Education (Round Table summary).
Bender C. and Leach J. 602

Autors index 605

Subject index 614